## **HEDWIGE POLDER**

## EXPECTED BED DEVELOPMENT HEDWIGEPOLDER AND SURROUNDINGS IN CASE OF PERMANENT INUNDATION

The Dutch government has decided in December 2012 to permanently inundate the Hedwigepolder on the border of the Western Scheldt. A model study on the morphological development of the Hedwigepolder after inundation has been performed.

The model simulations are performed by means of the numerical flow model FINEL2D, in which both the sand and silt fraction are included. The model is recently calibrated and validated multiannual morphological developments of the Western Scheldt.

The of results the model simulations show that the Hedwigepolder and the adjacent Prosperpolder are subject to significant sedimentation. contribution of the silt fraction is far the largest. by The sedimentation speed is according to the model such that half of the polders have after 20 years reached a height above the mean high water level. By performing simulations with different parameter settings, a band width in the sedimentation speed is created.

Because the siltation still after 20 years, ongoing outlined view of the polders does not show the final situation, but a development stage of the polders only. Reduction of intertidal area and increasing bed levels will continue until the polder has been filled completely.

**CLIENT** 

Mieras Juridisch Advies

LOCATION

Hedwigepolder, the Netherlands and Prosperpolder, Belgium


DATE

2013

**SERVICES** 

Morphological modelling Sand-silt interaction FINEL2D











Svazek Hydraulics Schiehaven 13G 3024 EC Rotterdam the Netherlands

+31 10 467 13 61 Phone: Internet: www.svasek.com info@svasek.com E-mail:

